

Appliances properties: Spartherm Feuerungstechnik GmbH - ambiente a4 H2O 8,0 kW 3.0 (ab 11/2025)

|                                            |                                                                                   |
|--------------------------------------------|-----------------------------------------------------------------------------------|
| Master data                                |                                                                                   |
| Date of entry                              | Mar 19, 2026                                                                      |
| Manufacturer                               | Spartherm Feuerungstechnik GmbH                                                   |
| Model                                      | ambiente a4 H2O 8,0 kW 3.0 (ab 11/2025)                                           |
| Nominal heat output [kW]                   | 8                                                                                 |
| Declared nominal space heating output [kW] | 2.6                                                                               |
| Nominal water heating output [kW]          | 5.4                                                                               |
| Continuous burning appliance               |  |
| Type test standard                         | EN 16510-2-1                                                                      |
| Year of testing                            | 2025                                                                              |
| Test laboratory                            | Strojirensky Zkusebni Ustav s.p.                                                  |
| Number of test laboratory                  | 19                                                                                |
| Number of test report                      | 1015-AoP-30-17618/TZ                                                              |

|                             |      |
|-----------------------------|------|
| Flue gas values             |      |
|                             | Wood |
| Flue gas mass flow [g/s]    | 7.6  |
| Flue gas mass flow [g/s]    | 155  |
| Necessary flue draught [Pa] | 12   |

|                                                             |                                                                                       |
|-------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Further important characteristics of the appliance          |                                                                                       |
| Suitability for installation to a shared flue <sup>1)</sup> |  |
| Connectivity to the central heating system                  |  |
| General technical approval for room sealed operation        |  |
| Type of appliance acc. EN 16510-1                           |  |

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

\* A green check mark with a „1“ indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a „2“ indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

## Evaluation of emission data and efficiency Wood

| EU-Roomheater according to EN 16510-2-1        | Evaluation                                                                                     |
|------------------------------------------------|------------------------------------------------------------------------------------------------|
| EU - Regulation (EU) 2015/1185 (Ecodesign)     |             |
| D - 1.BImSchV                                  | <br>Stufe 2 |
| F - Crédit d'impôt à la transition énergétique | <br>7★      |
| I - Italian Decree No. 186                     | <br>★★★★★   |

## Evaluation of emission data and efficiency Lignite briquettes

| EU-Roomheater according to EN 16510-2-1    | Evaluation |
|--------------------------------------------|------------|
| EU - Regulation (EU) 2015/1185 (Ecodesign) | !          |
| D - 1.BImSchV                              | !          |

## Emission evaluation legend

---

-   Stufe 2  
Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)
-   Stufe 1  
Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)
-  2015  
Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)
-   7★  
Compliant with the requirements for the „Crédit d'impôt“ promotion in France, the fireplace complies with the classification 7\* of the Flamme Verte Label
-   6★  
Compliant with the requirements for the „Crédit d'impôt“ promotion in France, the fireplace complies with the classification 6\* of the Flamme Verte Label
-   5★  
Compliant with the requirements for the „Crédit d'impôt“ promotion in France, the fireplace complies with the classification 5\* of the Flamme Verte Label
-    
Compliant with the requirements of the 1 star stage in Italy.
-    
Compliant with the requirements of the 2 star stage in Italy.
-    
Compliant with the requirements of the 3 star stage in Italy.
-    
Compliant with the requirements of the 4 star stage in Italy.
-    
Compliant with the requirements of the 5 star stage in Italy.
-   
Fulfils the requirements
-   
Complies with requirements of the transition ruling (1.BImSchV)
-   
Requirements are not fulfilled
-   
No information/unknown
-   
No measuring values are available for this fuel, operation with this fuel is not permitted

No symbol means that there are no requirements.

Here you will find further information