

## Appliances properties: HAAS+SOHN OFENTECHNIK GmbH - Dachstein - 601852010000

### Master data

|                                                   |                                                                                   |
|---------------------------------------------------|-----------------------------------------------------------------------------------|
| <b>Date of entry</b>                              | Nov 7, 2018                                                                       |
| <b>Manufacturer</b>                               | HAAS+SOHN OFENTECHNIK GmbH                                                        |
| <b>Model</b>                                      | Dachstein                                                                         |
| <b>Product code</b>                               | 601852010000                                                                      |
| <b>Nominal heat output [kW]</b>                   | 7                                                                                 |
| <b>Declared nominal space heating output [kW]</b> | 7                                                                                 |
| <b>Partial load [kW]</b>                          | 3.4                                                                               |
| <b>Continuous burning appliance</b>               |  |
| <b>Type test standard</b>                         | DIN EN 13240                                                                      |
| <b>Year of testing</b>                            | 2017                                                                              |
| <b>Test laboratory</b>                            | RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH                                        |
| <b>Number of test laboratory</b>                  | 2                                                                                 |
| <b>Number of test report</b>                      | RRF - 40 17 4730-1                                                                |



### Flue gas values

|                                    | Wood |
|------------------------------------|------|
| <b>Flue gas mass flow [g/s]</b>    | 5.9  |
| <b>Flue gas mass flow [g/s]</b>    | 320  |
| <b>Necessary flue draught [Pa]</b> | 12   |

### Further important characteristics of the appliance

**Suitability for installation to a shared flue<sup>1)</sup>**



**Connectivity to the central heating system**



**General technical approval for room sealed operation**



**Type of appliance acc. EN 16510-1**



<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

\* A green check mark with a „1“ indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a „2“ indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

## Evaluation of emission data and efficiency Wood

| Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation                                                                                     |
|-----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| D - 1.BImSchV                                                               | <br>Stufe 2 |
| A - Austrian regulation referred to Art 15a B-VG                            |             |
| CH - Swiss clean air act                                                    |             |
| DK - Danish regulation for air pollution from wood burners                  |             |
| F - Crédit d'impôt à la transition énergétique                              | <br>7★      |

## Evaluation of emission data and efficiency Lignite briquettes

| Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation |
|-----------------------------------------------------------------------------|------------|
| D - 1.BImSchV                                                               | !          |

## Emission evaluation legend

---

-   Stufe 2  
Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)
-   Stufe 1  
Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)
-  2015  
Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)
-   7★  
Compliant with the requirements for the „Crédit d'impôt“ promotion in France, the fireplace complies with the classification 7\* of the Flamme Verte Label
-   6★  
Compliant with the requirements for the „Crédit d'impôt“ promotion in France, the fireplace complies with the classification 6\* of the Flamme Verte Label
-   5★  
Compliant with the requirements for the „Crédit d'impôt“ promotion in France, the fireplace complies with the classification 5\* of the Flamme Verte Label
-    
Compliant with the requirements of the 1 star stage in Italy.
-    
Compliant with the requirements of the 2 star stage in Italy.
-    
Compliant with the requirements of the 3 star stage in Italy.
-    
Compliant with the requirements of the 4 star stage in Italy.
-    
Compliant with the requirements of the 5 star stage in Italy.
-   
Fulfils the requirements
-   
Complies with requirements of the transition ruling (1.BImSchV)
-   
Requirements are not fulfilled
-   
No information/unknown
-   
No measuring values are available for this fuel, operation with this fuel is not permitted

No symbol means that there are no requirements.

Here you will find further information